





DOE HANFORD SITE - GROUNDWATER QUALITY DATA PLOTS

wellseries-0-99 WELL#=01-D

RADIOMUCLIDES





VOLATILE ORGANIC COMPOUNDS



SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE

METALS & PHYSICAL PARAMETERS



WELLNAME=01-D WELLID=B8113

Well Type=STANDARD Well purpose=AQUIFER TUBE
Owner=DOE Contact Peterson, Roger Compliance=VARIANCE
X_coor= 562697.70 Y_coor= 146033.10 Datum=NAD83(91) Date Survey= 12/8/1997
Well_Comment= Port Identifier 01-D; BH1-01153


LABORATORY QUALIFIER FLAGS in HEIS are *; >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value; L=Value between IDL and CRQL (estimated); T=Tentatively identified compound;
EPA-IGR=EPA-Implementation Guidance for Radionuclides; WAC=Washington Administrative Code;

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag

DOE HANFORD SITE - GROUNDWATER QUALITY DATA PLOTS


wellseries-0-99 WELL#=01-D

METALS & PHYSICAL PARAMETERS



PEST/PCB, HERB, & DIOXINS NO DATA AVAILABLE

GENCHEM & ORGANICS & GENORGANICS



LABORATORY QUALIFIER FLAGS in HEIS are *, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value; L=Value between IDL and CRQL (estimated); T=Tentatively identified compound;
EPA-IGR=EPA-Implementation Guidance for Radionuclides; WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag